

1. Taheri P, Rajabi H, Johari Daha F, Yavari K, Batiar MT, Mozdarani H. Cellular dosimetry of beta emitting radionuclides-antibody conjugates for radioimmunotherapy. *Iranian Journal of Nuclear Medicine*. 2019;27(2):130-8.
2. Naseri M, Rajabi H, Wang J, Abbasi M, Kalantari F. Simultaneous Respiratory Motion Correction and Image Reconstruction in 4D-Multi Pinhole Small Animal SPECT. *Medical physics*. 2019.
3. Malekzadeh E, Rajabi H, Kalantari F, editors. Evaluation of the Septal Penetration and Scattering Effect in the Parallel Slat Collimator Gamma Camera On the Range Quantification in Proton Therapy: A Geant4 Monte Carlo Simulation Study. *Medical physics*; 2019: WILEY 111 RIVER ST, HOBOKEN 07030-5774, NJ USA.
4. Salehi Zahabi S, Rajabi H, Rasaneh S. Radiolabeling and Biodistribution of new dual modality nanoparticle probe in Nuclear Medicine. *Iranian Journal of Medical Physics*. 2018;15:142-.
5. Kokhazadeh M, Rajabi H, Rasaneh S, Taheri P. Verification of Activity Accumulation Location Effect in Patients Treated with I-131 Radio Pharmacy on the Evaluated Exposure at Different Distances from Patient using NCAT Phantom. *scientific journal of ilam university of medical sciences*. 2018;25(6):54-62.
6. Jabari M, Rajabi H. A Microdosimetry model of kidney for nephrotoxicity due to internal radiation therapy. *Iranian Journal of Medical Physics*. 2018;15:30-.
7. Ghaseminezhad SZ, Sadremontaz A, Rajabi H. Validation of GATE for bone and bone marrow with calculation specific absorbed fraction for photons. *Journal of cancer research and therapeutics*. 2018;14(3):647.
8. Tajik-Mansoury M, Rajabi H, Mozdarani H. A comparison between track-structure, condensed-history Monte Carlo simulations and MIRD cellular S-values. *Physics in Medicine & Biology*. 2017;62(5):N90.
9. Rajabi H, Mozdarani H. A comparison between track-structure, condensed-history Monte Carlo. 2017.
10. Kalantari F, Rajabi H, Rodriguez A, Gholami S, Tavakoli M, Wang J. analytical Calculation of Scatter Projections in Nuclear Medicine Imaging: we-f-201-09. *Medical physics*. 2017;44(6):3252.
11. Tajik-Mansoury MA, Rajabi H, Mozdarani H. Cellular S-value of beta emitter radionuclide's determined using Geant4 Monte Carlo toolbox, comparison to MIRD S-values. *Iranian Journal of Nuclear Medicine*. 2016;24(1):37-45.
12. Taheri P, Rajabi H, Rajabi A, editors. Energy Spectrum of Electrons Released in the Interaction of Co-60 Photons in Water; Comparison with Selected Beta Emitting Radioisotopes. *EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING*; 2016: SPRINGER 233 SPRING ST, NEW YORK, NY 10013 USA.
13. Rajabi H, Rasaneh S, Salehi S. Synthesis and Biological Evaluation of ^{99m}Tc-Chitosan Nanoparticles as a Potential Radiopharmaceutical for Liver Imaging. *Synthesis and Reactivity in Inorganic, Metal-Organic, and Nano-Metal Chemistry*. 2016;46(10):1450-4.

14. Naseri M, Rajabi H, Wang J, Kalantari F. TH-EF-207A-01: Respiratory Motion Correction in 4D-Multi Pinhole Small Animal SPECT. Medical physics. 2016;43(6Part47):3900-.
15. Rasaneh S, Rajabi H, Daha FJ. Activity estimation in radioimmunotherapy using magnetic nanoparticles. Chinese Journal of Cancer Research. 2015;27(2):203.
16. Bitarafan-Rajabi A, Rajabi H, Rastgou F, Firoozabady H, Yaghoobi N, Malek H, et al. Influence of respiratory motion correction on quantification of myocardial perfusion SPECT. Journal of Nuclear Cardiology. 2015;22(5):1019-30.
17. TaleshiAhangari H, Rajabi H, Eftekhari M, Johari Daha F. Assessment of Layer Collimator in Bremsstrahlung Imaging during Radionuclide Therapy with Phosphorus-32. Journal of Mazandaran University of Medical Sciences. 2014;24(116):23-31.
18. Rajabi H. Liver Bremsstrahlung Imaging with Pure Beta Emitter. J Med Sci. 2014;14(5):210-6.
19. Rahmatpour M, Rajabi H, Sardari D, Babapour F, Ahmadi S. Semi-Automation of renal region of interest in renography images by thresholding and edge detection. Romanian Reports in Physics. 2014;66(1):127-32.
20. Nazarpour B, Rajabi H. 144: Head motion correction in positron emission tomography using point source tracking system. Radiotherapy and Oncology. 2014;110:S70-S1.
21. Mohammadi I, Rajabi H, Pouladian M, Sadeghi M, Shirazi A. DETECTION AND EVALUATION OF PATIENT MOTION IN MYOCARDIAL SPECT IMAGING USING MODELING OF PROJECTIONS BY POLYNOMIAL CURVES AND 2D CURVE FITTING. UNIVERSITY POLITEHNICA OF BUCHAREST SCIENTIFIC BULLETIN-SERIES A-APPLIED MATHEMATICS AND PHYSICS. 2014;76(3):63-76.
22. Heydari S, Rajabi H, Rasaneh S, Daha FJ. Radiolabeling of Herceptin with ^{99m}Tc as a Her2 tracer. Novelty in Biomedicine. 2014;2(3):73-8.
23. Haeri S, Rajabi H, Fazelipour S, Hosseinimehr S. Carnosine mitigates apoptosis and protects testicular seminiferous tubules from gamma-radiation-induced injury in mice. Andrologia. 2014;46(9):1041-6.
24. Haeri G, Rajabi H, Akhlaghpour S. SPIO-Annexin V, a potential probe for MRI detection of radiation induced apoptosis. International Journal Of Radiation Research. 2014;12(3):217.
25. Babaeifar H, Rajabi H, Sen A, Kalantari F, editors. Quantitative assessment of induced errors in attenuation corrected myocardial SPECT images due to misregistration. Nuclear Science Symposium and Medical Imaging Conference (NSS/MIC), 2014 IEEE; 2014: IEEE.
26. Ahmadi S, Sardari D, Rajabi H, Babapour F, Rahmatpour M. Attenuation Correction during Image Reconstruction. Biomedical Informatics and Technology: Springer; 2014. p. 115-26.
27. Ahmadi S, Rajabi H, Sardari D, Babapour F, Rahmatpour M. Attenuation correction in SPECT during image reconstruction using inverse Monte Carlo method a simulation study. Romanian Reports in Physics. 2014;66(1):200-11.

28. Ahangari HT, Rajabi H, Eftekhari M, Daha FJ, Mansoury MAT. Liver Bremsstrahlung Imaging with Pure Beta Emitter. *Journal of Medical Sciences*. 2014;14(5):210.
29. Oloomi S, Rajabi H, editors. How Accurate Scatter Can Be Estimated in Nuclear Medicine Images?: A Monte Carlo Study. *World Congress on Medical Physics and Biomedical Engineering May 26-31, 2012, Beijing, China; 2013: Springer*.
30. Mohammadi I, Rajabi H, Pouladian M, Sadeghi M, Shirazi A. Motion Correction in Myocardial SPECT Imaging Using Polynomial Curve Modeling. *Journal of Mazandaran University of Medical Sciences*. 2013;22(96):9-20.
31. Haeri A, Rajabi H, Johari F, Akhlaghpour S. Preparation and biodistribution study of ^{99m}Tc -EC-Annexin-SPIO as a tracer of radiation induced apoptosis in mice model. *Iranian Journal of Nuclear Medicine*. 2013;21(1):13-8.
32. Rasaneh S, Rajabi H, Akhlaghpour S, Sheybani S. Radioimmunotherapy of mice bearing breast tumors with ^{177}Lu -labeled trastuzumab. *Turkish Journal of Medical Sciences*. 2012;42(Sup. 1):1292-8.
33. Nazarpour B, Shamsaei M, Rajabi H. Objective Monte Carlo (MC)-simulations have proved to be a valuable tool in studying SPECT-reconstruction algorithms. Despite their popularity, the use of Monte Carlo-simulations is still often limited by their large computation demand. This is especially true in situations where full collimator and detector modelling with septal penetration, scatter and X-ray fluorescence needs to be included. *Annals of Nuclear Medicine*. 2012;26(1):92-8.
34. Nazarpour B, Shamsaei M, Rajabi H. Correction of head movements in positron emission tomography using point source tracking system: a simulation study. *Annals of nuclear medicine*. 2012;26(1):7-15.
35. Kalantari F, Rajabi H, Saghari M. Quantification and reduction of the collimator-detector response effect in SPECT by applying a system model during iterative image reconstruction: a simulation study. *Nuclear medicine communications*. 2012;33(3):228-38.
36. Kalantari F, Rajabi H, Ay MR, Razavi-Ratki SK, Fard-Esfahani A, Beiki D, et al. The influence of resolution recovery by using collimator detector response during 3D OSEM image reconstruction on (^{99m}Tc -ECD brain SPET images. *Hellenic journal of nuclear medicine*. 2012;15(2):92-7.
37. Emami-Ardekani A, Kalantari F, Rajabi H, Ay M, Fard-Esfahani A, Eftekhari M, et al., editors. The Influence of resolution recovery during image reconstruction on quantitative brain SPECT imaging. *EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING; 2012: SPRINGER 233 SPRING ST, NEW YORK, NY 10013 USA*.
38. Zaknun JJ, Rajabi H, Piepsz A, Roca I, Dondi M, editors. The International Atomic Energy Agency software package for the analysis of scintigraphic renal dynamic studies: a tool for the clinician, teacher, and researcher. *Seminars in nuclear medicine; 2011: Elsevier*.
39. Salouti M, Babaei MH, Rajabi H, javad Rasae M. Preparation and biological evaluation of ^{177}Lu conjugated PR81 for radioimmunotherapy of breast cancer. *Nuclear medicine and biology*. 2011;38(6):849-55.

40. Salouti M, Babaei MH, Rajabi H, Foroutan H, Rasaei MJ, Rajabi AB, et al. Comparison of ^{99m}Tc -labeled PR81 and its F(ab')₂ fragments as radioimmunoscinigraphy agents for breast cancer imaging. *Annals of nuclear medicine*. 2011;25(2):87-92.
41. Rasaneh S, Rajabi H, Babaei MH, Akhlaghpour S. MRI contrast agent for molecular imaging of the HER2/neu receptor using targeted magnetic nanoparticles. *Journal of Nanoparticle Research*. 2011;13(6):2285-93.
42. Parach AA, Rajabi H, Askari MA. Paired organs—Should they be treated jointly or separately in internal dosimetry? *Medical physics*. 2011;38(10):5509-21.
43. Parach AA, Rajabi H, Askari MA. Assessment of MIRD data for internal dosimetry using the GATE Monte Carlo code. *Radiation and environmental biophysics*. 2011;50(3):441-50.
44. Parach A, Rajabi H. A comparison between GATE4 results and MCNP4B published data for internal radiation dosimetry. *Nuklearmedizin*. 2011;50(03):122-33.
45. Kohanpour M, Rajabi H, Beheshti M, Kalantari F, Pouladian M, editors. Dual isotope cardiac imaging using Tl-Tc cross-contamination correction by subtraction method. *EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING*; 2011: SPRINGER 233 SPRING ST, NEW YORK, NY 10013 USA.
46. Kalantari F, Rajabi H, Saghari M, Emami Ardekani A. A model based, anatomy dependent method for ultra-fast creation of primary SPECT projections. *Iranian Journal of Nuclear Medicine*. 2011;19(1):21-9.
47. Kalantari F, Rajabi H, Saghari M, Ardekani AE, editors. Assessment of the effect of 3D resolution recovery during SPECT image reconstruction on quantification of small liver tumors: A simulation study. *Nuclear Science Symposium and Medical Imaging Conference (NSS/MIC), 2011 IEEE*; 2011: IEEE.
48. Kalantari F, Rajabi H, Saghari M. Quantification and reduction of attenuation related artifacts in SPET by applying attenuation model during iterative image reconstruction: a Monte Carlo study. *Hellenic journal of nuclear medicine*. 2011;14(3):278-83.
49. Askari M, Rajabi H, Esfahani AF, editors. Applying interpolated projections in cardiac SPECT and its effect on lesion detectability using Hotelling Trace. *EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING*; 2011: SPRINGER 233 SPRING ST, NEW YORK, NY 10013 USA.
50. Ahmadi S, Rajabi H, Babapour F, Kalantari F. Attenuation Correction in SPECT during Image Reconstruction using an Inverse Monte Carlo Method: A Simulation Study. *Iranian Journal of Medical Physics*. 2011;8(3):1-12.
51. Salouti M, Rajabi H, Babaei MH. Estimating Tumor/Non-Tumor Uptake from Radiolabeled Monoclonal Antibodies using Scintigraphic Images and Dissecting the Animal Models. *Iranian Journal of Medical Physics*. 2010;7(4):41-6.
52. Salouti M, Rajabi H, editors. RADIOIMMUNOTHERAPY OF BREAST CANCER WITH ^{177}Lu LABELED MONOCLONAL ANTIBODY PR81. *RADIOTHERAPY AND ONCOLOGY*; 2010: ELSEVIER IRELAND LTD ELSEVIER HOUSE, BROOKVALE PLAZA, EAST PARK SHANNON, CO ...
53. Salouti M, Babaei M, Rajabi H. Production, quality control and biodistribution study of F(ab')₂ fragment of antibody PR 81 Labeled with

99 mTc for diagnosis of breast carcinoma bearing mice. Journal of Nuclear Science and Technology. 2010:10-9.

54. Rasaneh S, Rajabi H, Hossein Babaei M, Johari Daha F. Toxicity of trastuzumab labeled ¹⁷⁷Lu on MCF7 and SKBr3 cell lines. 2010.

55. Rasaneh S, Rajabi H, Babaei MH, Johari F, Sheybani S, Mirfallah SH, et al. Radioimmunotherapy of the mice bearing breast tumor with Herceptin labeled ¹⁷⁷Lu. Iranian Journal of Nuclear Medicine. 2010;18(Supplement 1):53.

56. Rasaneh S, Rajabi H, Babaei MH, Johari F, Sheybani S. A new method for activity estimation in dosimetry of radiopharmaceuticals based on MRI imaging and magnetic nano particles. Iranian Journal of Nuclear Medicine. 2010;18(Supplement 1):44.

57. Rasaneh S, Rajabi H, Babaei MH, Johari Daha F. Synthesis and biodistribution studies of ¹⁷⁷Lu-trastuzumab as a therapeutic agent in the breast cancer mice model. Journal of Labelled Compounds and Radiopharmaceuticals. 2010;53(9):575-9.

58. Rasaneh S, Rajabi H, Babaei MH, Daha FJ. ¹⁷⁷Lu labeling of Herceptin and preclinical validation as a new radiopharmaceutical for radioimmunotherapy of breast cancer. Nuclear medicine and biology. 2010;37(8):949-55.

59. Rasaneh S, Rajabi H, Babaei MH, Daha FJ. home etdeweb img Made available by. 2010.

60. Rasaneh S, Rajabi H, Babaei MH, Daha FJ. Toxicity of trastuzumab labeled ¹⁷⁷Lu on MCF7 and SKBr3 cell lines. Applied Radiation and Isotopes. 2010;68(10):1964-6.

61. Raeisi E, Firoozabadi S, Hajizadeh S, Rajabi H, Hassan Z. The effect of high-frequency electric pulses on tumor blood flow in vivo. The Journal of membrane biology. 2010;236(1):163-6.

62. Parach AA, Rajabi H, Tajik-Mansoury MA, Ahangari HT. Comparison of GATE and MCNP Monte Carlo codes for internal dosimetry. Iranian Journal of Nuclear Medicine. 2010;18(Supplement 1):108.

63. Parach AA, Rajabi H, Askari MA, Tajik-Mansoury MA. Assessment of MIRD data for internal dosimetry using the GATE Monte Carlo code. Iranian Journal of Nuclear Medicine. 2010;18(Supplement 1):82.

64. Mansoury MAT, Rajabi H, Emami-Ardakani AR, Parach AA. Assessment effect of wavelet transform in precision of motion detection for renal dynamic scintigraphy: simulation study. Iranian Journal of Nuclear Medicine. 2010;18(Supplement 1):109.

65. Kalantari F, Rajabi H, Saghari M, Emami A. SPECT attenuation related artifacts and their removal by attenuation correction in uniform and non-uniform attenuating objects using iterative reconstruction algorithms. Iranian Journal of Nuclear Medicine. 2010;18(Supplement 1):96.

66. Kalantari F, Rajabi H, Rajabi M, Emami A. A fast and precise algorithm for simultaneous attenuation correction and resolution recovery in brain SPECT: a simulation study. Iranian Journal of Nuclear Medicine. 2010;18(Supplement 1):78.

67. Askari M-A, Rajabi H, Fard-Esfahani A. Improvement of image quality using interpolated projection in myocardial SPECT. Iranian Journal of Nuclear Medicine. 2010;18(Supplement 1):151.
68. Shalchian B, Rajabi H, Soltanian-Zadeh H. Assessment of the Wavelet Transform for Noise Reduction in Simulated PET Images. Iranian Journal of Medical Physics. 2009;6(2):41-50.
69. Shalchian B, Rajabi H, Soltanian-Zadeh H. Assessment of the wavelet transform in reduction of noise from simulated PET images. Journal of nuclear medicine technology. 2009;37(4):223-8.
70. Shalchian B, Rajabi H, Soltanian-zadeh H. Fusion of PET and CT images using wavelet transform. Hellenic journal of nuclear medicine. 2009;12(3):238-43.
71. Salouti M, Rajabi H, Babaei M, Rasaei M, editors. LABELING OF MAB PR81 WITH ^{177}Lu TO PRODUCE A BIOLOGIC RADIOPHARMACEUTICAL FOR RADIOIMMUNOTHERAPY OF BREAST CANCER. JOURNAL OF LABELLED COMPOUNDS & RADIOPHARMACEUTICALS; 2009: WILEY-BLACKWELL COMMERCE PLACE, 350 MAIN ST, MALDEN 02148, MA USA.
72. Salouti M, Babaei M, Rajabi H, Forootan H, Rasaei M, Bitarafan A, et al., editors. Evaluation of Breast Tumor Targeting with Radiolabeled F(ab')₂ Fragment of a New Anti-MUC1 Monoclonal Antibody (PR81). World Congress on Medical Physics and Biomedical Engineering, September 7-12, 2009, Munich, Germany; 2009: Springer.
73. Salouti M, Babaei H, Foroutan H, Rajabi H, Bitarafan A, Shafiei M, et al., editors. COMPARISON OF BREAST TUMOR TARGETING WITH ^{99m}Tc RADIOLABELED PR81 AND ITS F(ab')₂ FRAGMENT. JOURNAL OF LABELLED COMPOUNDS & RADIOPHARMACEUTICALS; 2009: WILEY-BLACKWELL COMMERCE PLACE, 350 MAIN ST, MALDEN 02148, MA USA.
74. RESANEH S, RAJABI H, BABAEI M, JOUHARI DF, SHEYBANI S, SHAFIEI M, et al. THERAPEUTIC EFFECT OF HERCEPTIN LABELED ^{177}Lu IN BREAST CANCER CELL LINE. 2009.
75. Rasaneh S, Rajabi H, Babaei MH, Daha FJ, Salouti M. Radiolabeling of trastuzumab with ^{177}Lu via DOTA, a new radiopharmaceutical for radioimmunotherapy of breast cancer. Nuclear medicine and biology. 2009;36(4):363-9.
76. Rasaneh S, Rajabi H, Babaei M, Johari F, Sheibani S, Salehi H, et al., editors. The evaluation of therapeutic effect of trastuzumab labeled ^{177}Lu in breast cancer cell line. World Congress on Medical Physics and Biomedical Engineering, September 7-12, 2009, Munich, Germany; 2009: Springer.
77. Kalantari F, Rajabi H, Yaghoobi N, Bitarafan A. Compensation of Cross-Contamination in Simultaneous $^{201}\text{Tl}/^{99m}\text{Tc}$ Myocardial Perfusion SPECT Imaging. Iranian Journal of Medical Physics. 2009;6:58-72.
78. Chen K-T, Lee T-W, Lo J-M, Rasaneh S, Rajabi H, Babaei MH, et al. Lihui Wei, Xiuli Zhang, Fabio Gallazzi, Yubin Miao, Xiaofang Jin, Martin W. Brechbiel, Heng Xu, Thomas Clifford, Michael J. Welch, Jason S. Lewis, Thomas P. Quinn. Nuclear Medicine and Biology. 2009;36(4).
79. Bitarafan-Rajabi A, Rajabi H, Rustgou F, Firoozabady H, Yaghoobi N, Malek H, et al., editors. Respiratory motion influence on ECG-gated SPET: a simulation study. World Congress on Medical Physics and Biomedical Engineering, September 7-12, 2009, Munich, Germany; 2009: Springer.

80. Bitarafan-Rajabi A, Rajabi H, Rastgou F, Sharafi AA. Effect of respiratory motion on quantitative myocardial gated SPECT: a simulation study. *Annals of nuclear medicine*. 2009;23(6):587-93.
81. Shalchian B, Rajabi H, Soltanian-zadeh H, editors. Assessment of the wavelet transform in reduction of noise from the simulated PET images. *EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING*; 2008: SPRINGER 233 SPRING ST, NEW YORK, NY 10013 USA.
82. Salouti M, Rajabi H, Babaei MH, Rasaei MJ. Breast tumor targeting with ^{99m}Tc -HYNIC-PR81 complex as a new biologic radiopharmaceutical. *Nuclear medicine and biology*. 2008;35(7):763-8.
83. Rasaneh S, Rajabi H, Farsinejad M. Quality control of a virtual SPECT simulated by SimSET. *Internal Medicine Journal*. 2008;38:A65.
84. Kalantari F, Rajabi H, Yaghoobi N. compensation of cross-contamination in simultaneous $\text{Tl-201}/\text{Tc-99m}$ myocardial perfusion SPECT imaging. *European Journal of Nuclear Medicine and Molecular Imaging*. 2008;35:S338-S.
85. Kalantari F, Rajabi H, Yaghoobi N. Optimized energy window configuration for ^{201}Tl imaging. *Journal of nuclear medicine technology*. 2008;36(1):36-43.
86. Bitarafan-Rajabi A, Rajabi H, Rustgou F, Sharafi A. Effect of respiratory motion on quantitative myocardial gated SPECT. *European Journal of Nuclear Medicine and Molecular Imaging*. 2008;35:S333-S.
87. Bitarafan A, Rajabi H, Gruy B, Rustgou F, Sharafi AA, Firoozabady H, et al. Respiratory motion detection and correction in ECG-gated SPECT: a new approach. *Korean journal of radiology*. 2008;9(6):490-7.
88. Bitarafan A, Rajabi H. The effect of filtering and reconstruction method on the left ventricular ejection fraction derived from GSPET: a statistical comparison of angiography and echocardiography. *Annals of nuclear medicine*. 2008;22(8):707.
89. BITARAFAN A, RAJABI H. Applied multiple regression/correlation analysis for the behavioral sciences Applied multiple regression/correlation analysis for the behavioral sciences, 2003. *Annals of nuclear medicine*. 2008;22(8):707-13.
90. Salouti M, Rajabi H, Babaei M, Rasaei M, Najafi R, Khazaeli M, et al., editors. Breast Tumor Targeting in a Mouse Model with a New Anti-MUC1 Monoclonal Antibody, PR81, Radiolabeled with ^{99m}Tc via the HYNIC. *World Congress on Medical Physics and Biomedical Engineering 2006*; 2007: Springer.
91. Resaneh S, Rajabi H, Kalantari F, editors. Quality control of a virtual spect simulated by simset. *EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING*; 2007: SPRINGER 233 SPRING ST, NEW YORK, NY 10013 USA.
92. Resaneh S, Rajabi H, editors. A new fast method for calculations of non-uniformity in low count density nuclear medicine images using Fourier transformation. *EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING*; 2007: SPRINGER 233 SPRING ST, NEW YORK, NY 10013 USA.
93. Raeisi E, Rajabi H, Aghamiri MR, Hajizadeh E, Seifollahi-Asl S, Yaghobi N, et al. Qualitative evaluation of filter function in brain SPECT. *Iranian Journal of Nuclear Medicine*. 2007;15(27):25-32.

94. Raeisi E, Rajabi H, Aghameri M, Hajizadeh E, Rajabi A, editors. Performance evaluation of FBP reconstruction in SPECT Imaging. World Congress on Medical Physics and Biomedical Engineering 2006; 2007: Springer.
95. Kalantari F, Rajabi H, Yaghoobi N, Bitarafan Rajabi A, Gorji K, Rastgoo F, et al. Energy window setting for optimum Tl-201 cardiac imaging [Persian]. Iranian Journal of Nuclear Medicine. 2007;15(2):15-24.
96. Kalantari F, Rajabi H, Yaghoobi N, Bitarafan A, Gorji K, Rastgoo F, et al. Energy window setting for optimum Tl-201 cardiac imaging. Iranian Journal of Nuclear Medicine. 2007;15(28):60.
97. Gorji KE, Rajabi H, Rajabi AB, Ghiasi HR, Zaidi H, Hajizadeh E. Comparison of 6 PET scanners, a simulation study. IRANIAN JOURNAL OF NUCLEAR MEDICINE. 2007;15(1).
98. FIROUZ AH, BITARAFAN RA, RAJABI H, RASTGOU F, NOUHI F, MOHEBI A, et al. Measurement of LVEF using ECG-Gated SPECT and Angiography: a Correlation Study. 2007.
99. Ebrahimnezhad Gorji K, Rajabi H, Bitarafan Rajabi A, Ghiasi HR, Zaidi H, Hajizadeh E. Comparison of 6 PET scanners, a simulation study [Persian]. Iranian Journal of Nuclear Medicine. 2007;15(1):24-35.
100. Ebrahim Nejad Gorgi K, Rajabi H, Hajizadeh E, Kalantari F, Taleshi H. Reducing the respiratory motion artifacts in PET cardiology: A simulation study. Iranian Journal of Nuclear Medicine. 2007;15(2):49-57.
101. Salouti M, Rajabi H, Babaei MH, Rasaei MJ, Najafi R, Paknejad M, et al. A new monoclonal antibody radiopharmaceutical for radioimmunosintigraphy of breast cancer: direct labeling of antibody and its quality control. DARU Journal of Pharmaceutical Sciences. 2006;14(1):51-6.
102. RESANEH S, RAJABI H, BITAVAFAN RA, FARSI NM. THE EFFECT OF EARTH MAGNETIC FIELD ON THE FUNCTION OF NUCLEAR MEDICINE IMAGING SYSTEMS (SPECT). 2006.
103. Rasaneh S, Rajabi H, Nejad MF. P22 A fast method for calculation of non-uniformity in nuclear medicine images by Fourier transformation in low count density. Nuclear medicine communications. 2006;27(3):304.
104. Rasaneh S, Rajabi H, Hajizade A. Alternative fast methods for calculation of non-uniformity in nuclear medicine images: Comparison with conventional method. 2006.
105. Raeisi E, Rajabi H, Aghamiri S. A new approach for quantitative evaluation of reconstruction algorithms in SPECT. Iranian Journal of Radiation Research. 2006;4(2).
106. Olumi S, Rajabi H, Zakavi S, Hajizade E, Ghiasi H. Quantitative Assessment of Conventional and Modern De-Noiseing on Nuclear Medicine Images. Iranian Journal of Medical Physics. 2006;3(1):35-44.
107. KALANTARI F, RAJABI H, SHALCHIAN B, EBRAHIMNEZHAD GK, TALESHE AH. ESTIMATION OF SCATTER FUNCTION IN SPECT IMAGING OF HEART USING DECONVOLUTION METHOD: A SIMULATION STUDY. 2006.
108. Bielsa IR, Bouyoucef S, Rajabi H, Kumar R, Aalvarado N, Bernal P, et al., editors. Interobserver reproducibility of a PC-compatible software to standardize the lasix renography. EUROPEAN JOURNAL OF NUCLEAR MEDICINE

AND MOLECULAR IMAGING; 2006: SPRINGER 233 SPRING STREET, NEW YORK, NY 10013 USA.

109. Bakhshandeh M, Rajabi H, Vafamanesh M, Sharafi AA, Seifollahi S. Attenuation correction in myocardial perfusion SPECT using sequential transmission-emission scanning with ^{99m}Tc [Persian]. Iranian Journal of Nuclear Medicine. 2006;14(2):13-22.

110. Salouti M, Rajabi H, Rasaei M, Hasan Z, Paknejad M, Babaei H, et al. An anti-MUC1 monoclonal antibody for radioimmunoscinigraphy of breast cancer: Indirect labelling of antibody with {sup 99m} Tc via the HYNIC; in vitro and in vivo studies of the new radiopharmaceutical. 2005.

111. Salouti M, Rajabi H, Babaei M, Rasaei M, Najafi R, Paknejad M, et al. ^{99m}Tc direct radiolabeling of PR81, a new anti-MUC1 monoclonal antibody for radioimmunoscinigraphy. Iranian Journal of Nuclear Medicine. 2005;13(1):7-16.

112. SALOUTI M, RAJABI H, BABAEI H, RASAEI M, NADERI F, NAJAFI R, et al. ^{99m}Tc-PR81 AS A POTENTIAL AGENT FOR IMAGING HUMAN BREAST CANCER; RADIO LABELING, QUALITY CONTROL & RADIOIMMUNOSCINTIGRAPHIC STUDIES IN MOUSE MODELS. 2005.

113. Salouti M, Rajabi H, Babaei H, Rasaei M, Rahnama M, Hasan Z, editors. A New Monoclonal Antibody Radiopharmaceutical for Radioimmunoscinigraphy of Breast Cancer: Direct Labeling of Antibody and Its Quality Control. EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING; 2005: SPRINGER 233 SPRING ST, NEW YORK, NY 10013 USA.

114. Salouti M, Rajabi H, Babaei H, Rasaei M, Najafi R, Mazidi M, et al. Radioimmunoscinigraphy of breast tumor xenografts in mouse model by ^{99m}Tc direct radiolabeling of a monoclonal antibody PR81. Iranian journal of medical physics. 2005;2(3):45-52.

115. Saghatchi F, Salouti M, Sharafi A, Rajabi H, Babaei H, Mehrasbi M, et al., editors. A Study of Radioactive Contamination at the Nuclear Medicine Centers in Tehran. EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING; 2005: SPRINGER 233 SPRING ST, NEW YORK, NY 10013 USA.

116. Roca Bielsa I, Pifarre P, Padhy A, Rajabi H, Alvarado N, Baquedano P, et al., editors. Validation of a New PC-Compatible Software Package to Standardize the Lasix Renography. EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING; 2005: SPRINGER 233 SPRING ST, NEW YORK, NY 10013 USA.

117. Rasaneh S, Rajabi H, Rastgoo F, Hajizadeh E, Bitarafan Rajabi A, Yaghoobi N, et al. Feasibility of using statistical tests in evaluation of non-uniformity [Persian]. Iranian Journal of Nuclear Medicine. 2005;13(2):15-24.

118. Rasaneh S, Rajabi H, Rastgo F, Hajizadeh E, Bitarafan-Rajabi A, Yaghoobi N, et al. Feasibility of using statistical tests in evaluation of non-uniformity; Barresi-ye imkan-e estefade az ravesh'ha-ye amari dar baravord-e mayeknavakhti tasavir-e pezeshki-ye haste-ei. 2005.

119. Rasaneh S, Rajabi H, Hajizadeh E. Alternative methods for evaluation of non-uniformity in nuclear medicine images. Iranian Journal of Radiation Research (Print). 2005;3(2):89-94.

120. Rasaneh S, Rajabi H, Farsinejad M. SU-FF-I-49: The Effects of Magnetic Field On Energy Resolution and Linearity in SPECT System. Medical physics. 2005;32(6Part3):1915-.
121. Rajabi H, Rajabi AB, Yaghoobi N, Firouzabad H, Rustgou F. Determination of the optimum filter function for Tc99m-sastamibi myocardial perfusion SPECT imaging. Indian Journal of Nuclear Medicine. 2005;20(3):77-82.
122. Rajabi H, Raeisi E, Bitarafan A, editors. A Phantom for Software Evaluation in SPECT Imaging. EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING; 2005: SPRINGER 233 SPRING ST, NEW YORK, NY 10013 USA.
123. Bitarafan Rajabi A, Rajabi H, Firoozabadi SH, Yaghoobi N, Rastgoo F, Amoui M, et al. Comparison of acceptance tests for SPECT systems in Tehran [Persian]. Iranian Journal of Nuclear Medicine. 2005;13(2):31-7.
124. Tabeie F, Bolouri B, Jalilian AR, Mosaffa N, Rajabi H, Neshandar Asli I. Tissue uptakes of ⁶⁷Ga-bleomycin and carrier free ⁶⁷Ga in fibrosarcoma-bearing mice. Iranian Journal of Nuclear Medicine. 2004;12(2):9-17.
125. Tabeie F, Bolouri B, Jalilian A, Mosaffa N, Rajabi H, Neshandar-Asli I. Tissue uptakes of ⁶⁷Ga-bleomycin and carrier free ⁶⁷Ga in fibrosarcoma-bearing mic. 2004.
126. SHALCHIAN B, RAJABI H, YAGHOUBI N. ASSESSMENT OF DECONVOLUTION TECHNIQUE FOR DIAGNOSIS OF HYDRONEPHROSIS IN INFANTS (UNDER 6 MONTHS). 2004.
127. Shalchian B, Rajabi H, Yaghoobi N. Assessment of deconvolution technique for diagnosis of hydronephrosis in infants (under 6 months) [persian]. Iranian Journal of Nuclear Medicine. 2004;12(2):35-42.
128. Shalchian B, Rajabi H, Yaghoobi N, editors. Assessment of deconvolution technique for diagnosis of hydronephrosis in infants (under 6 months). EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING; 2004: SPRINGER 233 SPRING STREET, NEW YORK, NY 10013 USA.
129. Rasaneh S, Rajabi H, Bitarafan A, Rastgoo F, editors. The effects of earth magnetic field to shift photo peak in SPECT system. EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING; 2004: SPRINGER 233 SPRING STREET, NEW YORK, NY 10013 USA.
130. Jabbari N, Rajabi H, Firouzabadi H, Rastgo F, Yagubi N, Bitarafan Rajabi A, et al. Appropriate energy window width for gamma camera; Pahnaye monaseb-e panjareh-ye enerzhy dar tasvirbardary ba dourbin-e Gamma. 2004.
131. Jabbari N, Rajabi H, Firouzabadi H, editors. Energy calibration using a single radioactive source. EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING; 2004: SPRINGER 233 SPRING STREET, NEW YORK, NY 10013 USA.
132. Jabbari N, Rajabi H, Firoozabadi H, Rastgoo F, Yaghoobi N, Bitarafan Rajabi A, et al. Appropriate energy window width for gamma camera [Persian]. Iranian Journal of Nuclear Medicine. 2004;12(1):63-72.
133. Hozhabrosadati M, Rajabi H, Eftekhari M. A camera based calculation of ^{99m}Tc-MAG3 clearance using conjugate views method [Persian]. Iranian Journal of Nuclear Medicine. 2004;12(1):41-8.
134. Hojabr M, Rajabi H, Eftekhari M. A camera based calculation of ^{99m}Tc-MAG-3 clearance using conjugate views method; Mohasebe-ye tasfi-eh-

ye $\{^{99m}\text{Tc}\}$ -MAG-3 be vasileh-ye dourbin-e Gamma ba estefadeh az ravesh-e talfiq-e nama'ha. 2004.

135. Hojabr M, Rajabi H, Eftekhari M. A camera based calculation of ^{99m}Tc -MAG-3 clearance using conjugate views method. Iranian Journal of Nuclear Medicine. 2004:41-8.

136. Ghiasi H, Rajabi H, Oloumi S, Rajabi H, editors. Scatter compensation in SPECT using wavelet decomposition. EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING; 2004: SPRINGER 233 SPRING STREET, NEW YORK, NY 10013 USA.

137. Bitarafan-Rajabi A, Rajabi H, Rastgou F, Yagoobi N, Hekmat S, Firouzabadi H, editors. Measurement of LVEF using ECG-gated SPECT echocardiography and angiography, a correlation study. EUROPEAN JOURNAL OF NUCLEAR MEDICINE AND MOLECULAR IMAGING; 2004: SPRINGER 233 SPRING STREET, NEW YORK, NY 10013 USA.

138. Rajabi H, Shalchian B, Yaghoobi N, Bitarafan Rajabi A, Rastgoo F, Firoozabadi SH. Calculation of ^{99m}Tc -DTPA transit times in normal kidney [Persian]. Iranian Journal of Nuclear Medicine. 2003;11(2):41-8.

139. Rajabi H, Shalchian B, Yaghoobi N, Bitarafan Rajabi A, Rastgo F, Firouzabadi H. Calculation of $\{^{99m}\text{Tc}\}$ -DTPA transit times in normal kidney; Mohasebeh-ye shakhes' ha-ye zamani-ye gozar-e parto-darou-ye $\{^{99m}\text{Tc}\}$ -DTPA az kolly-yeh-ye salem. 2003.

140. Rajabi H, Pant G, Padhy A, SHALCHIAN B. Renal transit times using a modified method of deconvolution. Iran J Nucl Med. 2003;18:37-43.

141. Ghiasi H, Rajabi H, OLOUMI S. SCATTER COMPENSATION IN SPECT USING COMPLEX WAVELET WIENER DECONVOLUTION. 2003.

142. Bitarafan Rajabi A, Rajabi H, Yaghoobi N, Rastgou F, Firouzabadi H. Filter selection for $\{^{99m}\text{Tc}\}$ -sestamibi myocardial perfusion SPECT imaging; Entekhab-e filter dar tasvirbardari az khonresani-ye'zole-ye qlab ba $\{^{99m}\text{Tc}\}$ -MIBI be ravesh-e SPECT. 2003.

143. Bitarafan R, Rajabi H, Yaghoobi N, Rastgou F, Firouzabadi H. Filter selection for ^{99m}Tc -sestamibi myocardial perfusion SPECT imaging. Iranian Journal of Nuclear Medicine. 2003:41-50.

144. Rajabi H, Pant G, Padhy A. Physical Validation of deconvolution software. IJNM. 2002;17(1):30-4.

145. Rajabi H, Ghiasi H, Pourmir Firoozabadi M. An algorithm to determine filter cutoff frequency in nuclear medicine imaging; Moarrefiye yek algoritm beh manzur-e taen-e ferekans-e ghat-e filter dar tasvirbardariye pezeshkiye hast-ei. 2002.

146. Bitarafan A, Rajabi H, Yaghoobi N, Rastgou F, Firouzabadi H. MTF evaluation SPECT imaging; Arzyabiye keyfiye tasavir ba mohasebeye MTF dar sistem-e tasvirbardariye SPECT. 2002.

147. Rajabi H, Pant G. An algorithm for filtration of time activity curve. Journal of Medical Physics. 2000;25(2):75.

148. Rajabi H, Pant G. Optimum filtration for time-activity curves in nuclear medicine. Nuclear medicine communications. 2000;21(9):823-8.

149. Rajabi H, Pant G, Padhy A. Estimation of renal transit times by deconvolution. Indian Journal of Nuclear Medicine. 1998;13(1):19-23.
150. Rajabi H, Pant G. Evaluation of transit times by deconvolution analysis in a radionuclide renogram. Journal of Medical Physics. 1997;22(4):178-81.
151. Rajabi H. 70. ESTIMATION OF RENAL TRANSIT TIME BY DECONVOLUTION ANALYSIS OF A RENOGRAM. Japanese Journal of Radiological Technology. 1996;52(9):1103.
152. Rajabi H, Pant G, Padhy A, Basu A, editors. Computer processing of radionuclide renogram and use of deconvolution method to calculate renal transit time. Engineering in Medicine and Biology Society, 1995 and 14th Conference of the Biomedical Engineering Society of India An International Meeting, Proceedings of the First Regional Conference, IEEE; 1995: IEEE.
153. Ahangari HT, Rajabi H, Eftekhari M, Daha FJ, Mansoury MAT, Balachandran S, et al. Computerized three-dimensional segmented human anatomy. Journal of Medical Sciences. 1985;14(5):215-9, 21.
154. Salouti M, Rajabi H, Bitarafan R, Babaei M, Mazidi M, Rasaei M, et al. Estimating tumor/non-tumor uptake from radiolabeled monoclonal antibodies, based on scintigraphic imaging to avoid killing the animal models. and Molecular Nuclear Medicine (IPET 2007). 1851;1322(105):260.
155. Salouti M, Saghatchi F, Rajabi H. Assessment of radioactive contamination in waiting rooms in nuclear medicine centers of Tehran; two or one waiting rooms?
156. Salouti M, Rajabi H, Babaei M, Najafi R, Shafiee M, Mazidi M, et al. ^{99m}Tc direct labeling of a new anti-MUC1 monoclonal antibody, PR81, as a potential agent for imaging of human breast cancer in nuclear medicine.
157. Salouti M, Rajabi H, Babaei M. Radioimmunoscinigraphy of mouse breast adenocarcinoma xenograft by ^{99m}Tc-labeled a new anti-MUC1 monoclonal antibody, PR81, via the MDP.
158. Rajabi H, Ghiasi H, Pourmir F. An algorithm to determine filter cutoff frequency in nuclear medicine imaging.
159. Rajabi H. ANS | m@ r.
160. Mohammadi I, Rajabi H, Pouladian M, Sadeghi M, Shirazi A, Namjoo A, et al. Double Orifice Mitral Valve Accompanied with Severe Stenosis: a Rare Case.
161. Bitarafan-Rajabi A, Rajabi H, Tilekoo A, Yaghoobi N, Malek H, editors. Measurement of LVEF using ECG-Gated SPECT and Angiography: a Correlation Study. FORTHCOMING MEETINGS 64 INSTRUCTIONS FOR AUTHORS 72 SUBSCRIPTION FORM 75.
162. Bitarafan A, Rajabi H, Yaghoobi N, Rastgou F, Firouzabadi H. MTF evaluation SPECT imaging.